

cm_content_tbl
id INT(10)
content_module_id INT(10)
tag_name VARCHAR(255)
content LONGTEXT
tag_type INT(11)
Indexes

cm_location_tbl_seq
value INT(11)

customer_field_tbl
company_id INT(11)
col_name VARCHAR(255)
admin_id INT(11)
shortname VARCHAR(255)
description VARCHAR(255)
default_value VARCHAR(255)
mode_edit INT(11)
mode_insert INT(11)
Indexes

cm_location_tbl
id INT(10)
mailing_id INT(10)
cm_template_id INT(10)
content_module_id INT(10)
dyn_name VARCHAR(100)
dyn_order INT(10)
target_group_id INT(10)
Indexes

rdir_action_tbl
action_id INT(10)
shortname VARCHAR(200)
description TEXT
action_type INT(10)
company_id INT(10)
operations BLOB
Indexes

mailing_backend_log_tbl
mailing_id INT(10)
current_mails INT(10)
total_mails INT(10)
change_date TIMESTAMP
creation_date TIMESTAMP
status_id INT(10)

component_tbl
component_id INT(10)
mailing_id INT(10)
company_id INT(10)
emmblock LONGTEXT
binblock LONGBLOB
comptype INT(10)
target_id INT(10)
mtype VARCHAR(200)
compname VARCHAR(200)
url_id INT(1)
Indexes

userform_tbl
form_id INT(10)
formname VARCHAR(200)
description TEXT
company_id INT(10)
startaction_id INT(10)
endaction_id INT(10)
success_template LONGTEXT
error_template LONGTEXT
Indexes

dyn_target_tbl
target_id INT(10)
company_id INT(10)
target_shortname VARCHAR(100)
target_description TEXT
target_sql TEXT
target_representation BLOB
Indexes

customer_1_tbl
customer_id INT(11)
email VARCHAR(100)
gender INT(11)
mailtype INT(11)
firstname VARCHAR(100)
lastname VARCHAR(100)
creation_date TIMESTAMP
change_date TIMESTAMP
title VARCHAR(100)
datasource_id INT(11)
Indexes

cm_content_module_tbl
id INT(10)
company_id INT(10)
shortname VARCHAR(255)
description VARCHAR(255)
content LONGTEXT
Indexes

mailloop_tbl
rid INT(10)
mailing_id INT(10)
description TEXT
shortname VARCHAR(200)
forward VARCHAR(200)
forward_enable INT(10)
target_id INT(10)
ar_sender VARCHAR(200)
ar_subject TEXT
ar_text LONGTEXT
ar_html LONGTEXT
change_date TIMESTAMP
subscribe_enable INT(1)
mailinglist_id INT(11)
form_id INT(11)
Indexes

mailing_mt_tbl
mailing_id INT(10)
param TEXT
mediatype INT(10)
Indexes

campaign_tbl
campaign_id INT(11)
company_id INT(11)
shortname VARCHAR(255)
description VARCHAR(255)
Indexes

rdir_url_tbl
url_id INT(10)
company_id INT(10)
mailing_id INT(10)
action_id INT(10)
measure_type INT(10)
full_url TEXT
shortname VARCHAR(200)
relevance INT(10)
Indexes

cm_mailing_bind_tbl_seq
value INT(11)

import_log_tbl
log_id INT(10)
company_id INT(10)
admin_id INT(10)
creation_date TIMESTAMP
description VARCHAR(10)
datasource_id INT(10)
statistics TEXT
profile TEXT
Indexes

cm_type_tbl
id INT(10)
company_id INT(10)
shortname VARCHAR(255)
description VARCHAR(255)
content LONGTEXT
read_only TINYINT(1)
is_public TINYINT(1)
Indexes

export_predef_tbl
id INT(11)
company_id INT(11)
charset VARCHAR(200)
column_names TEXT
deleted INT(11)
shortname TEXT
description TEXT
mailinglists TEXT
mailinglist_id INT(11)
delimiter_char CHAR(1)
separator_char CHAR(1)
target_id INT(11)
user_status INT(11)
user_type CHAR(1)
Indexes

cm_template_tbl
id INT(10)
company_id INT(10)
shortname VARCHAR(255)
description VARCHAR(255)
content LONGBLOB
Indexes

timestamp_tbl
timestamp_id INT(10)
description VARCHAR(250)
cur TIMESTAMP
prev TIMESTAMP
temp TIMESTAMP

cm_template_mailing_bind_tbl
id INT(10)
mailing_id INT(10)
cm_template_id INT(10)
Indexes

click_stat_colors_tbl
id INT(10)
company_id INT(10)
range_start INT(10)
range_end INT(10)
color VARCHAR(6)
Indexes

datasource_description_tbl
datasource_id INT(11)
company_id INT(11)
sourcegroup_id INT(11)
description TEXT
change_date TIMESTAMP
creation_date TIMESTAMP
Indexes

cm_template_tbl_seq
value INT(11)

admin_tbl
admin_id INT(11)
username VARCHAR(20)
company_id INT(11)
fullname VARCHAR(255)
timestamp TIMESTAMP
admin_country VARCHAR(2)
admin_lang VARCHAR(2)
admin_lang_variant VARCHAR(2)
admin_timezone VARCHAR(255)
layout_id INT(11)
creation_date TIMESTAMP
pwd_change TIMESTAMP
admin_group_id INT(11)
pwd_hash VARBINARY(200)
preferred_list_size SMALLINT(5)
default_import_profile_id INT(11)
Indexes

customer_1_tbl_seq
customer_id INT(11)
Indexes

cm_content_tbl_seq
value INT(11)

company_tbl
company_id INT(11)
shortname VARCHAR(255)
description VARCHAR(255)
status VARCHAR(10)
timestamp TIMESTAMP
creator_company_id INT(11)
xor_key VARCHAR(20)
creation_date TIMESTAMP
notification_email VARCHAR(255)
rdir_domain VARCHAR(255)
mailloop_domain VARCHAR(200)
mailtracking INT(11)
max_login_fails INT(3)
login_block_time INT(5)
Indexes

customer_1_binding_tbl
customer_id INT(10)
mailinglist_id INT(10)
user_type CHAR(1)
user_remark VARCHAR(150)
change_date TIMESTAMP
exit_mailing_id INT(10)
creation_date TIMESTAMP
mediatype INT(10)
Indexes

import_column_mapping_tbl
id INT(10)
profile_id INT(10)
file_column VARCHAR(255)
db_column VARCHAR(255)
mandatory TINYINT(1)
default_value VARCHAR(255)
Indexes

tag_tbl
tag_id INT(10)
tagname VARCHAR(64)
selectvalue TEXT
type VARCHAR(10)
company_id INT(10)
description TEXT
change_date TIMESTAMP
Indexes

onapixel_log_tbl
company_id INT(10)
mailing_id INT(10)
customer_id INT(10)
open_count INT(10)
change_date TIMESTAMP
ip_adr VARCHAR(15)

admin_group_permission_tbl
admin_group_id INT(11)
security_token VARCHAR(255)
Indexes

bounce_tbl
bounce_id INT(10)
company_id INT(10)
customer_id INT(10)
detail INT(10)
mailing_id INT(10)
change_date TIMESTAMP
dsn INT(10)
Indexes

mailing_tbl
mailing_id INT(10)
company_id INT(10)
campaign_id INT(11)
shortname VARCHAR(200)
description TEXT
mailing_type INT(10)
creation_date TIMESTAMP
mailtemplate_id INT(10)
is_template INT(10)
deleted INT(10)
target_expression TEXT
change_date TIMESTAMP
mailinglist_id INT(10)
needs_target INT(10)
archived INT(11)
Indexes

ws_admin_tbl
ws_admin_id INT(22)
username VARCHAR(50)
password VARCHAR(50)
Indexes

mailing_account_tbl
mailing_id INT(11)
company_id INT(11)
mailtype INT(11)
no_of_mailings INT(11)
no_of_bytes INT(11)
change_date TIMESTAMP
maildrop_id INT(11)
mailing_account_id INT(11)
status_field VARCHAR(255)
blocknr INT(11)

softbounce_email_tbl
email VARCHAR(200)
bncct INT(11)
mailing_id INT(11)
creation_date TIMESTAMP
change_date TIMESTAMP
company_id INT(11)
Indexes

admin_permission_tbl
admin_id INT(11)
security_token VARCHAR(255)
Indexes

bounce_collect_tbl
mailtrack_id INT(11)
customer_id INT(11)
mailing_id INT(11)
company_id INT(11)
change_date TIMESTAMP
status_id INT(11)
Indexes

import_profile_tbl
id INT(10)
company_id INT(10)
admin_id INT(10)
shortname VARCHAR(255)
column_separator INT(10)
text_delimiter INT(10)
file_charset INT(10)
date_format INT(10)
import_mode INT(10)
null_values_action INT(10)
key_column VARCHAR(255)
ext_email_check TINYINT(1)
report_email VARCHAR(255)
check_for_duplicates INT(10)
mail_type INT(10)
Indexes

title_tbl
company_id INT(11)
title_id INT(11)
description VARCHAR(255)
Indexes

login_track_tbl
login_track_id INT(11)
ip_address VARCHAR(20)
creation_date TIMESTAMP
login_status INT(11)
username VARCHAR(50)
Indexes

dyn_name_tbl
dyn_name_id INT(10)
mailing_id INT(10)
company_id INT(10)
dyn_name VARCHAR(100)
Indexes

mailinglist_tbl
mailinglist_id INT(10)
company_id INT(10)
description TEXT
shortname VARCHAR(100)
Indexes

cm_mailing_bind_tbl
id INT(10)
mailing_id INT(10)
content_module_id INT(10)
Indexes

cm_media_file_tbl_seq
value INT(11)

import_gender_mapping_tbl
id INT(10)
profile_id INT(10)
int_gender INT(10)
string_gender VARCHAR(100)
Indexes

maildrop_status_tbl
status_id INT(11)
company_id INT(11)
status_field VARCHAR(10)
mailing_id INT(11)
senddate TIMESTAMP
step INT(11)
blocksize INT(11)
gendate TIMESTAMP
genstatus INT(1)
genchange TIMESTAMP
Indexes

mailtrack_tbl
mailtrack_id INT(10)
customer_id INT(10)
mailing_id INT(10)
company_id INT(10)
change_date TIMESTAMP
status_id INT(10)
Indexes

cm_media_file_tbl
id INT(10)
cm_template_id INT(10)
content_module_id INT(10)
company_id INT(10)
media_name VARCHAR(255)
content LONGBLOB
media_type INT(10)
mime_type VARCHAR(255)
cmtild INT(10)
Indexes

emm_layout_tbl
layout_id INT(11)
company_id INT(11)
header_url VARCHAR(255)
footer_url VARCHAR(255)
base_url VARCHAR(255)
normal_color VARCHAR(30)
highlight_color VARCHAR(30)
Indexes

customer_import_status_tbl
id INT(11)
company_id INT(11)
admin_id INT(11)
datasource_id INT(11)
mode INT(11)
double_check INT(11)
ignore_null INT(11)
field_separator CHAR(1)
delimiter CHAR(1)
keycolumn VARCHAR(80)
charset VARCHAR(80)
records_before INT(11)
inserted INT(11)
updated INT(11)
Indexes

customer_import_errors_tbl
id INT(11)
error_id VARCHAR(20)
count INT(11)
Indexes

rdir_log_tbl
company_id INT(11)
customer_id INT(11)
mailing_id INT(11)
ip_adr VARCHAR(15)
change_date TIMESTAMP
url_id INT(11)

log_tbl
log_id INT(11)
company_id INT(11)
admin_id INT(11)
creation_date TIMESTAMP
category INT(11)
ip_adr VARCHAR(20)
message TEXT
Indexes

cm_text_version_tbl_seq
value INT(11)

dyn_content_tbl
dyn_content_id INT(10)
dyn_name_id INT(10)
company_id INT(10)
dyn_content LONGTEXT
dyn_order INT(10)
target_id INT(10)
Indexes

date_tbl
type INT(11)
format VARCHAR(100)

cm_text_version_tbl
id INT(10)
admin_id INT(10)
text TEXT
Indexes

admin_group_tbl
admin_group_id INT(11)
company_id INT(11)
shortname VARCHAR(255)
description VARCHAR(255)
Indexes

cm_tbl_seq
value INT(11)

cm_type_tbl_seq
value INT(11)

cm_template_mail_bind_tbl_seq
value INT(11)

title_gender_tbl
title_id INT(11)
gender INT(11)
title VARCHAR(50)
Indexes

cm_text_version_tbl_seq
value INT(11)

rulebased_sent_tbl
mailing_id INT(11)
lastsent TIMESTAMP

cust_ban_tbl
company_id INT(10)
email VARCHAR(200)
dyn_order INT(10)
creation_date TIMESTAMP
Indexes